

■ 片面塗装 (自然塗料クリア・ウレタンクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	220	430	650	860	1,070	1,290	1,500	1,720	1,930	2,140	
101~200	430	860	1,290	1,720	2,140	2,570	3,000	3,430	3,860	4,280	
201~300	650	1,290	1,930	2,570	3,210	3,860	4,500	5,140	5,780	6,420	
301~400	860	1,720	2,570	3,430	4,280	5,140	5,990	6,850	7,710	8,560	
401~500	1,070	2,140	3,210	4,280	5,350	6,420	7,490	8,560	9,630	10,700	
501~600	1,290	2,570	3,860	5,140	6,420	7,710	8,990	10,270	11,560	12,840	
601~700	1,500	3,000	4,500	5,990	7,490	8,990	10,490	11,980	13,480	14,980	
701~800	1,720	3,430	5,140	6,850	8,560	10,270	11,980	13,690	15,410	17,120	
801~900	1,930	3,860	5,780	7,710	9,630	11,560	13,480	15,410	17,330	19,260	
901~1000	2,140	4,280	6,420	8,560	10,700	12,840	14,980	17,120	19,260	21,390	

奥行(mm)

■ 片面塗装 (セラウッドクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	280	560	830	1,110	1,380	1,660	1,930	2,210	2,480	2,760	
101~200	560	1,110	1,660	2,210	2,760	3,310	3,860	4,410	4,960	5,510	
201~300	830	1,660	2,480	3,310	4,130	4,960	5,780	6,610	7,430	8,260	
301~400	1,110	2,210	3,310	4,410	5,510	6,610	7,710	8,810	9,910	11,010	
401~500	1,380	2,760	4,130	5,510	6,880	8,260	9,630	11,010	12,380	13,760	
501~600	1,660	3,310	4,960	6,610	8,260	9,910	11,560	13,210	14,860	16,510	
601~700	1,930	3,860	5,780	7,710	9,630	11,560	13,480	15,410	17,340	19,260	
701~800	2,210	4,410	6,610	8,810	11,010	13,210	15,410	17,610	19,810	22,010	
801~900	2,480	4,960	7,430	9,910	12,380	14,860	17,340	19,810	22,290	24,760	
901~1000	2,760	5,510	8,260	11,010	13,760	16,510	19,260	22,010	24,760	27,510	

奥行(mm)

■ 両面塗装 (自然塗料クリア・ウレタンクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	600	1,200	1,800	2,400	3,000	3,600	4,200	4,800	5,390	5,990	
101~200	1,200	2,400	3,600	4,800	5,990	7,190	8,390	9,590	10,780	11,980	
201~300	1,800	3,600	5,390	7,190	8,990	10,780	12,580	14,380	16,170	17,970	
301~400	2,400	4,800	7,190	9,590	11,980	14,380	16,770	19,170	21,560	23,960	
401~500	3,000	5,990	8,990	11,980	14,970	17,970	20,960	23,960	26,950	29,940	
501~600	3,600	7,190	10,780	14,380	17,970	21,560	25,150	28,750	32,340	35,930	
601~700	4,200	8,390	12,580	16,770	20,960	25,150	29,350	33,540	37,730	41,920	
701~800	4,800	9,590	14,380	19,170	23,960	28,750	33,540	38,330	43,120	47,910	
801~900	5,390	10,780	16,170	21,560	26,950	32,340	37,730	43,120	48,510	53,900	
901~1000	5,990	11,980	17,970	23,960	29,940	35,930	41,920	47,910	53,900	59,880	

奥行(mm)

■ 両面塗装 (セラウッドクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	730	1,460	2,180	2,910	3,630	4,360	5,090	5,810	6,540	7,260	
101~200	1,460	2,910	4,360	5,810	7,260	8,720	10,170	11,620	13,070	14,520	
201~300	2,180	4,360	6,540	8,720	10,890	13,070	15,250	17,430	19,610	21,780	
301~400	2,910	5,810	8,720	11,620	14,520	17,430	20,330	23,240	26,140	29,040	
401~500	3,630	7,260	10,890	14,520	18,150	21,780	25,410	29,040	32,670	36,300	
501~600	4,360	8,720	13,070	17,430	21,780	26,140	30,500	34,850	39,210	43,560	
601~700	5,090	10,170	15,250	20,330	25,410	30,500	35,580	40,660	45,740	50,820	
701~800	5,810	11,620	17,430	23,240	29,040	34,850	40,660	46,470	52,280	58,080	
801~900	6,540	13,070	19,610	26,140	32,670	39,210	45,740	52,280	58,810	65,340	
901~1000	7,260	14,520	21,780	29,040	36,300	43,560	50,820	58,080	65,340	72,600	

奥行(mm)

■ 面取り加工 (天板向けA : 片面4辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	610	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	
101~200	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
201~300	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	
301~400	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
401~500	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	
501~600	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
601~700	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	
701~800	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
801~900	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	
901~1000	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	

奥行(mm)

■ 面取り加工 (天板向けB : 両面4辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	1,220	2,130	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	
101~200	1,520	2,440	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	
201~300	1,830	2,740	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	
301~400	2,130	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	
401~500	2,440	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	10,640	
501~600	2,740	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	10,950	
601~700	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	11,250	
701~800	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	10,640	11,560	
801~900	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	10,950	11,860	
901~1000	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	11,250	12,160	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けA : 片面3辺 / 短辺+長辺+短辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	380	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	
101~200	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	
201~300	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	
301~400	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	
401~500	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	
501~600	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	2,970	3,200	
601~700	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	3,120	3,350	
701~800	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	3,270	3,500	
801~900	1,600	1,830	2,060	2,280	2,510	2,740	2,970	3,200	3,420	3,650	
901~1000	1,750	1,980	2,210	2,440	2,660	2,890	3,120	3,350	3,580	3,800	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けB : 両面3辺 / 短辺+長辺+短辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
101~200	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
201~300	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
301~400	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
401~500	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	
501~600	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	6,390	
601~700	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	6,240	6,690	
701~800	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	6,540	7,000	
801~900	3,200	3,650	4,110	4,560	5,020	5,480	5,930	6,390	6,840	7,300	
901~1000	3,500	3,960	4,410	4,870	5,320	5,780	6,240	6,690	7,150	7,600	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けC・E: 片面2辺 / 長辺+短辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	310	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	
101~200	380	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	
201~300	460	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	
301~400	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	
401~500	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	
501~600	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	
601~700	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	
701~800	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	
801~900	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	2,970	
901~1000	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けD・F: 両面2辺 / 長辺+短辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	610	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	
101~200	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
201~300	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	
301~400	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
401~500	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	
501~600	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
601~700	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	
701~800	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
801~900	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	
901~1000	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けG: 片面1辺 / 長辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100~1000	230	460	690	920	1,140	1,370	1,600	1,830	2,060	2,280	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けH: 両面1辺 / 長辺) ※ 1, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100~1000	460	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	

奥行(mm)

■ 角丸加工

	10mmR	20mmR	30mmR
[天板向け] A B C D ・ 4カ所	1,440	3,280	3,280
[カウンター・棚板向け] C D ・ 2カ所	720	1,640	1,640
[カウンター・棚板向け] C ・ 1カ所	360	820	820
[カウンター・棚板向け] D ・ 1カ所	360	820	820